

Bianchi

Presentation Kit
2026

THE NEW
SPECIALISSIMA



SPECIALISSIMA

Index.

- ① Introduction
- ② Design thinking
- ③ Critical success factors
- ④ Performance Data
- ⑤ Powerful proposition
- ⑥ Key components
- ⑦ Refined geometry
- ⑧ Colors & graphics
- ⑨ The models

①

INTRODUCTION

The new Specialissima, the ultimate all-rounder.
One bike built to dominate any incline.

Here's the new

SPECIALISSIMA





Pure climbing aero performance.

②

DESIGN THINKING

Building on the legacy of the previous model, the new Specialissima represents a systematic approach to speed, where every component – from the frame to the handlebar – has been recalibrated to maximise performance whilst retaining Bianchi's Form to Function design language.





③

CRITICAL SUCCESS FACTORS



*ESSENTIAL
CHARACTERISTICS*

SPECIALISSIMA




Lightweight



Aerodynamics



**New
technologies**



New wheelset


Having undergone a complete redesign, Bianchi's Reparto Corse has pushed the Specialissima further than ever before, evolving it to become the brand's lightest bike to date: capable of excelling on the flat, conquering the steepest climbs, and providing unrivalled control on the fastest descents.



④

PERFORMANCE DATA

Aero Improvement


The new Specialissima is a bike for professional and exigent riders who refuse to compromise, with the new model delivering a **16-watt improvement** on its predecessor at 50km/h.






Performance Improvement


Power save comparison between new Specialissima and previous Specialissima at different speed.




Time save comparison between new Specialissima and previous Specialissima at different power on flat 40km course.




Time save comparison between new Specialissima and previous Specialissima at different power on a 10 km course at 6%.




Time save comparison between new Specialissima and previous Specialissima at different gradient at 3.6 W/Kg (250W) in a 10 Km segment.



Time save comparison between new Specialissima and previous Specialissima at different gradient at 4.3 W/Kg (300W) in a 10 Km segment.



Time save comparison between new Specialissima and previous Specialissima at different gradient at 6W/Kg (420W) in a 10 Km segment.



⑤

POWERFUL PROPOSITION



*UNIQUE
SELLING
POINTS*

Featherweight Frame

The ultra-premium RC frame is **40 grams lighter** than the previous version whilst maintaining the same level of stiffness, weighing in at just 750g (size 55).



Improved Aerodynamics

New aero fork: The revamped fork offers a **17% increase** in aerodynamic efficiency.

Integrated Cockpit: New integrated aero handlebar, more ergonomic and aero-efficient.





True to Bianchi's performance DNA, the new Specialissima ensures that speed does not come at the cost of control. All new Specialissima models integrate CounterVail technology, featuring a new formula that provides higher vibration damping capabilities. This delivers maximum comfort and control during high-speed, technical descents whilst maintaining the necessary stiffness for explosive sprints and accelerations.

CounterVail vibration
cancelling technology

Reparto Corse wheelset

To achieve peak performance and robustness on varied terrain, the new ASTM 2 standard compliant RC 49R carbon wheelset features a 49mm profile and a 25mm internal width, offering added comfort and reduced rolling resistance.





⑥

KEY COMPONENTS

New handlebar

The new integrated handlebar is **25% more aerodynamic** and features naturally convergent shifter levers for a more ergonomic and aero-efficient hand placement.





Specialissima - Integrated Handlebar

SIZE	Width	Lenght	Reach	Drop	Stem reach	Outward	Angle
90X380	375	90	79.5	112.5	164.5	2°	-7°
90X400	395	90	79.5	112.5	164.5	2°	-7°
90X420	415	90	79.5	112.5	164.5	2°	-7°
100X380	375	375	79.5	112.5	174.5	2°	-7°
100X400	395	395	79.5	112.5	174.5	2°	-7°
100X420	415	415	79.5	112.5	174.5	2°	-7°
100X380	375	375	79.5	112.5	184.5	2°	-7°
100X400	395	395	79.5	112.5	184.5	2°	-7°
120X420	415	415	79.5	112.5	184.5	2°	-7°
120X380	375	375	79.5	112.5	194.5	2°	-7°
120X400	395	395	79.5	112.5	194.5	2°	-7°
120X420	415	415	79.5	112.5	194.5	2°	-7°
130X380	375	130	79.5	112.5	204.5	2°	-7°
130x400	395	130	79.5	112.5	204.5	2°	-7°
130X420	415	130	79.5	112.5	204.5	2°	-7°
140X380	375	140	79.5	112.5	214.5	2°	-7°
140X400	395	140	79.5	112.5	214.5	2°	-7°
140X420	415	140	79.5	112.5	214.5	2°	-7°

New Proprietary Wheelset

↘
Reparto Corse RC 49R
carbon wheels

↘
Bianchi B 49R
carbon wheels



New Bianchi Wheelset

There are two performance levels, with the elite RC 49R version taking straight pull spokes and the Bianchi B 49R version using j-bend spokes.

New RC 49R carbon wheels - engineered by Bianchi's Reparto Corse - are being introduced on the Infinito Pro for the very first time. They feature a 49mm profile and 25mm internal width, and have been optimised to complement the frame.


As well as greater comfort and lightness, the wheels boast gravel-ready durability (ASTM 2 standard). The RC spec also get a chopped carbon finish.



REPARTO CORSE

RC 49R

Equipped on
SPECIALISSIMA RC - SPECIALISSIMA PRO



SPOKES	N°24 Straight Pull , Type Superwing, AISI 302+ Spoke pattern 16+8 Nipples: Hidden Aluminom Alloy
HUB	Hub type: Straight Pull Ratchet system Disc drive 36 theet
RIM	ASTM classification: 2 Material: High mod. carb. textile (T1000-T800) Finish: Matt with chopped carbon finish Tyre compatibility: tubeless-ready and clincher Recommended tyre size: 700c, from 29 mm Rim height: 49 mm External width: 33,4 mm Internal width: 25 mm (hooked) Decals: Chrome water-transfer under flatting
WEIGHT	1440 gr ±5% 650 gr (front) + 790 gr (rear)

REPARTO CORSE RC 49R

Equipped on
SPECIALISSIMA RC - SPECIALISSIMA PRO

Technologies Highlights:





Advanced Aerodynamic Optimization

1.

The profile was optimized by combining advanced software tools with wind tunnel testing, supported by a benchmark analysis of the leading competitors.

The result: a more efficient, higher-performing, and more competitive design.



REPARTO CORSE

RC 49R

Equipped on
SPECIALISSIMA RC - SPECIALISSIMA PRO

Technologies Highlights:



Advanced Aerodynamic Optimization

2.
SUPERWING technology represents the direct evolution of the renowned WING spoke, taking its concept to an entirely new level. Designed to further enhance aerodynamic performance, SUPERWING introduces an optimized profile that reduces drag compared to the previous version, delivering measurable gains in speed and efficiency. Thanks to its refined geometry and in-depth airflow studies, SUPERWING ranks among the most advanced aerodynamic spoke profiles on the market. In addition to its performance, it retains the structural robustness and ease of assembly that made WING a benchmark for top wheel builders. The result is an even faster, more stable spoke, engineered for the most demanding racing wheels – where every watt counts.



REPARTO CORSE

RC 49R

Technologies Highlights:



Advanced Aerodynamic Optimization

3.

Hidden aluminum nipples create a cleaner wheel surface, reducing airflow turbulence. With no exposed elements, aerodynamics and high-speed efficiency are improved.

The result is lower drag and a real increase in performance.




BIANCHI

B 49R

Equipped on

SPECIALISSIMA



SPOKES	N°24 J-Bend, Double butted , AISI 302+ Spoke pattern 16+8 Nipples: Brass
HUB	Hub type: J-Bend Ratchet system Disc drive 36 theet
RIM	ASTM classification: 2 Material: Carbon textile (T800-T700) Finish: Matt UD carbon finish Tyre compatibility: tubeless-ready and clincher Recommended tyre size: 700c, from 29 mm Rim height: 49 mm External width: 33,4 mm Internal width: 25 mm (hooked) Decals: Chrome water-transfer under flatting
WEIGHT	1575 gr ±5% 735 gr (front) + 840 gr (rear)

Seat post


The new D-shaped carbon seatpost further enhances the bike's overall aerodynamic profile.



⑦

REFINED GEOMETRY

Based on feedback from Team Bahrain Victorious, Bianchi has retained the same geometry as the previous model while optimising the reach and length of the handlebar for improved comfort in an aero position.



Specialissima

SIZE	470	500	530	550	570	590
A	420	450	480	500	520	540
B	514	524	535	550	560	575
C	410	410	410	410	412	412
D	58	58	68	68	68	68
E	100	105	120	135	150	170
F	579	581	582	588	593	603
G	74.5°	74.5°	74°	73.5°	73.5°	73°
G1	70.5°	71.5°	72°	72.5°	73°	73°
H	43	43	43	43	43	43
I	368	368	368	368	368	368
X	379	386	387	391	397	400
Y	486	494	520	536	552	571
WB	982	983	984	988	996	1005

⑧

COLOR & GRAPHICS

The Specialissima RC is
presented in **1 colourway**:

↘
JA-Frozen White - Celeste and Black (Full Glossy)

The Specialissima PRO is
offered in **3 colourways**:


↘
JB - Petroleum Celeste - Metallic Celeste [Glossy]
↘
JD - Carbon UD - Iridescent Blue [Glossy]
↘
JU - Carbon UD - White [Glossy]



The standard
Specialissima
is available in
3 colourways:


↘
JE - Celeste Metallic - CK16 [Full Glossy]
↘
JF - Black - Black [Glossy]
↘
JS - Frozen White - Bronze [Full Glossy]

SPECIALISSIMA RC




JA - Frozen White - Celeste and Black [Full Glossy]

SPECIALISSIMA PRO



JB - Petroleum Celeste - Metallic Celeste [Glossy]

SPECIALISSIMA PRO



JD - Carbon UD - Iridescent Blue [Glossy]

SPECIALISSIMA PRO




JU - Carbon UD - White [Glossy]

SPECIALISSIMA




JE - Celeste Metallic - CK16 [Full Glossy]

SPECIALISSIMA



JF - Black - Black [Glossy]

SPECIALISSIMA



JS - Frozen White - Bronze [Full Glossy]

New Officina Colourway Options

For riders seeking an ultra-premium aesthetic, the marquee Specialissima RC model is also available in three totally new designs as part of the Officina Bianchi customisation programme which provides exemplary, rarefied experiences for riders looking to add a flourish of individuality to their bikes:

Alba: Inspired by phases of sunrise which sees midnight blue giving way to the red glow of the sun, leading into a clear, bright blue hue.

Archivio Celeste: A blend of Bianchi's iconic Celeste, with classic tones from the 90s and 00s being layered on a legendary shade dating back to the halcyon days of Fausto Coppi, sanded down for striking effect.

Nebulosa: A vibrant mix of blue, purple, celeste, and orange shades, evoking deep space and the radiant colors of nebulae.

In addition to those bold new colourways, customers also have the option to adorn their Specialissima RC in Officina Bianchi's wider **Bluemarine Drip**, **Canova** and **Miami Drip** finishes.



⑨

THE MODELS

The Specialissima is available in three distinct tiers, each optimised for specific performance levels.
All Specialissima models integrate Countervail technology, featuring a new formula that provides higher vibration damping capabilities.



*PRODUCT
HIERARCHY*



SPECIALISSIMA RC

The pinnacle of performance featuring a brand new RC integrated handlebar, and RC 49R wheels with a chopped carbon finish. This is the choice of professional cyclists. Available in an Antarctica colourway with 2x12-speed SRAM Red AXS and Shimano Dura-Ace Di2 groupset options.

SPECIALISSIMA PRO

Designed for dedicated racers, this tier features an 850g frame with RC componentry. Available in Sky Blue, Aurora and Yin & Yang colourways with 2x12-speed SRAM Force AXS and Shimano Ultegra Di2 groupset options.

SPECIALISSIMA

An exceptional entry into the elite world of Bianchi, offering pro-level geometry and performance. Available in Celeste, Black in Black and Mocha colourways with 2x12-speed SRAM Rival AXS and Shimano Ultegra and 105 Di2 groupset options.

The new Specialissima is available in sizes 47, 50, 53, 55, 57 and 59 across all three versions.



SPECIALISSIMA RC

↘
SRAM Red AXS – 2x12sp PWM

↘
Shimano DuraAce Di2 – 2x12sp PWM



SPECIALISSIMA PRO

↘
SRAM Force AXS – 2x12sp PWM



SPECIALISSIMA PRO

↘
Shimano Ultegra Di2 – 2x12sp PWM



SPECIALISSIMA

↘
Shimano Ultegra Di2 – 2x12sp



SPECIALISSIMA

↘
SRAM Rival AXS – 2x12sp



SPECIALISSIMA

↘
Shimano 105 Di2 – 2x12sp

SPECIALISSIMA RC

RED AXS E1 PWM

YWB2S



COLORS	JA - Frozen White - Celeste and Black [Full Glossy]
FRAME	Bianchi Specialissima RC carbon, only electronic groupsets, fully internal cable routing, Flat mount disc brake type, UDH compatible, BB-PressFit 86.5x41, Max crankset compatibility 58T sizes 47-50-53-55-57-59
SEATPOST CLAMP	Bianchi Custom
SEATPOST	Bianchi Specialissima seatpost Full Carbon Aero length: 280 mm, 0 offset (47 cm); 300 mm, 0 offset (50-53 cm); 350 mm , 20 mm offset (55-57-59 cm)
HEADSET	Acros IS52 Integrated Cable Routing
FORK	Bianchi Specialissima carbon, ICR 1.5" integrated head, Disc brake flat mount 140mm, thru axle 12x100 w/countervail
STEM	Bianchi Reparto Corse Carbon integrated handlebar, for Acros ICR system drop 125mm, reach 80mm Size: 90/380 (47-50 cm) ; 100/380 (53 cm) ; 110/400 (55-57 cm) ; 120/420 (59 cm)
HANDLEBAR	Included in the stem
GRIP / TAPE	Prologo PLAINTOUCH BLACK, 2.5mm thickness, full black
SADDLE	Prologo Nago R4 PAS Lightweight, nack carbon rail, long carbon fiber, 119gr., 245x137

WHEELSET	Bianchi RC 49R 25-622, profile height 49mm, straight-pull, ratchet system, tubeless ready, XDR body
TIRE	Continental 30-622 Grand Prix 5000S TR black
SHIFTER	Sram Red AXS E1
REAR DERAILLEUR	Sram Red AXS E1, 12sp
FRONT DERAILLEUR	Sram Red AXS E1
CRANKSET	Sram Red E1, Quarq Power Meter, 48x35T Crank length: 165 mm (47-50 cm) ; 170 mm (53-55 cm) ; 172.5 mm (57-59 cm)
BOTTOM BRACKET	Sram Press fit Road 86.5x41
CHAIN	Sram Red E1
CASSETTE / FREEWHEEL	Sram Red XG 1290 E1, 10-33, 10-11-12-13-14-15-17-19-21-24-28-33T
BRAKE LEVER	Included in the shifter
BRAKE	Sram Red AXS E1, Hydraulic disc brake
FRONT DISK ROTOR	Sram Paceline X, Center Lock, 160 mm
REAR DISK ROTOR	Sram Paceline X, Center Lock, 140 mm

SPECIALISSIMA RC

DURA-ACE DI2 4III PW

YWB1S



COLORS	JA - Frozen White - Celeste and Black [Full Glossy]
FRAME	Bianchi Specialissima RC carbon, only electronic groupsets, fully internal cable routing, Flat mount disc brake type, UDH compatible, BB-PressFit 86.5x41, Max crankset compatibility 58T sizes 47-50-53-55-57-59
SEATPOST CLAMP	Bianchi Custom
SEATPOST	Bianchi Specialissima seatpost Full Carbon Aero length: 280 mm, 0 offset (47 cm); 300 mm, 0 offset (50-53 cm); 350 mm , 20 mm offset (55-57-59 cm)
HEADSET	Acros IS52 Integrated Cable Routing
FORK	Bianchi Specialissima carbon, ICR 1.5" integrated head, Disc brake flat mount 140mm, thru axle 12x100 w/countervail
STEM	Bianchi Reparto Corse Carbon integrated handlebar, for Acros ICR system drop 125mm, reach 80mm Size: 90/380 (47-50 cm) ; 100/380 (53 cm) ; 110/400 (55-57 cm) ; 120/420 (59 cm)
HANDLEBAR	Included in the stem
GRIP / TAPE	Prologo PLAINTOUCH BLACK, 2.5mm thickness, full black
SADDLE	Prologo Nago R4 PAS Lightweight, nack carbon rail, long carbon fiber, 119gr., 245x137

WHEELSET	Bianchi RC 49R 25-622, profile height 49mm,straight-pull, ratchet system, tubeless ready, HG11 body
TIRE	Continental 30-622 Grand Prix 5000S TR black
SHIFTER	Shimano Dura-Ace Di2, shifter lever ST-R9270
REAR DERAILLEUR	Shimano Dura-Ace Di2, RD-R9250, 12sp
FRONT DERAILLEUR	Shimano Dura-Ace Di2, FD-R9250
CRANKSET	Shimano Dura-Ace, FC-R9200, 4iiii precision 3+ dual side power meter, 52x36T Crank length: 165 mm (47-50 cm) ; 170 mm (53-55 cm) ; 172.5 mm (57-59 cm)
BOTTOM BRACKET	Shimano SM-BB92-41B, press fit type for road
CHAIN	Shimano Dura-Ace, CN-M9100
CASSETTE / FREEWHEEL	Shimano Dura-Ace, CS-R9200 11-30T, 11-12-13-14-15-16-17-19-21-24-27-30T
BRAKE LEVER	Included in the shifter
BRAKE	Shimano BR-R9270 Hydraulic disc brake
FRONT DISK ROTOR	Shimano RT-CL900 Center Lock with Ice Tech, 160 mm
REAR DISK ROTOR	Shimano RT-CL900 Center Lock with Ice Tech, 140 mm

SPECIALISSIMA PRO

FORCE AXS E1 PWM

YWB5S



COLORS	JB - Petroleum Celeste - Metallic Celeste [Glossy] JD - Carbon UD - Iridescent Blue [Glossy] JU - Carbon UD - White [Glossy]
FRAME	Bianchi Specialissima PRO carbon, only electronic groupsets, fully internal cable routing, Flat mount disc brake type, UDH compatible, BB-PressFit 86.5x41, Max crankset compatibility 58T sizes 47-50-53-55-57-59
SEATPOST CLAMP	Bianchi Custom
SEATPOST	Bianchi Specialissima seatpost Full Carbon Aero length: 280 mm, 0 offset (47 cm); 300 mm, 0 offset (50-53 cm); 350 mm , 20 mm offset (55-57-59 cm)
HEADSET	Acros IS52 Integrated Cable Routing
FORK	Bianchi Specialissima carbon, ICR 1.5" integrated head, Disc brake flat mount 140mm, thru axle 12x100 w/countervail
STEM	Bianchi Reparto Corse Carbon integrated handlebar, for Acros ICR system drop 125mm, reach 80mm Size: 90/380 (47-50 cm) ; 100/380 (53 cm) ; 110/400 (55-57 cm) ; 120/420 (59 cm)
HANDLEBAR	Included in the stem
GRIP / TAPE	Prologo PLAINTOUCH BLACK, 2.5mm thickness, full black
SADDLE	Prologo Nago R4 PAS, nack carbon rail, Nylon Injection, 156gr., 245x137

WHEELSET	Bianchi RC 49R 25-622, profile height 49mm,straight-pull, ratchet system, tubeless ready, XDR body
TIRE	Continental 30-622 Grand Prix 5000S TR black
SHIFTER	Sram Force AXS E1
REAR DERAILLEUR	Sram Force AXS E1, 12sp
FRONT DERAILLEUR	Sram Force AXS E1
CRANKSET	Sram Force E1, Quarq Power Meter, 48x35T Crank length: 165 mm (47-50 cm) ; 170 mm (53-55 cm) ; 172.5 mm (57-59 cm)
BOTTOM BRACKET	Sram Press fit Road 86.5x41
CHAIN	Sram Force E1
CASSETTE / FREEWHEEL	Sram Force XG 1270 E1, 10-36T, 10-11-12-13-15-17-19-21-24-28-32-36T
BRAKE LEVER	Included in the shifter
BRAKE	Sram Force E1, Hydraulic disc brake
FRONT DISK ROTOR	Sram Paceline, Center Lock, 160 mm
REAR DISK ROTOR	Sram Paceline, Center Lock, 160 mm

SPECIALISSIMA PRO

FORCE AXS E1 PWM

YWB5S



COLORS	"JB - Petroleum Celeste - Metallic Celeste [Glossy] JD - Carbon UD - Iridescent Blue [Glossy] JU - Carbon UD - White [Glossy]"	WHEELSET	Bianchi RC 49R 25-622, profile height 49mm, straight-pull, ratchet system, tubeless ready, XDR body
FRAME	Bianchi Specialissima PRO carbon, only electronic groupsets, fully internal cable routing, Flat mount disc brake type, UDH compatible, BB-PressFit 86.5x41, Max crankset compatibility 58T sizes 47-50-53-55-57-59	TIRE	Continental 30-622 Grand Prix 5000S TR black
SEATPOST CLAMP	Bianchi Custom	SHIFTER	Sram Force AXS E1
SEATPOST	Bianchi Specialissima seatpost Full Carbon Aero length: 280 mm, 0 offset (47 cm); 300 mm, 0 offset (50-53 cm); 350 mm , 20 mm offset (55-57-59 cm)	REAR DERAILLEUR	Sram Force AXS E1, 12sp
HEADSET	Acros IS52 Integrated Cable Routing	FRONT DERAILLEUR	Sram Force AXS E1
FORK	Bianchi Specialissima carbon, ICR 1.5" integrated head, Disc brake flat mount 140mm, thru axle 12x100 w/countervail	CRANKSET	Sram Force E1, Quarq Power Meter, 48x35T Crank length: 165 mm (47-50 cm) ; 170 mm (53-55 cm) ; 172.5 mm (57-59 cm)
STEM	Bianchi Reparto Corse Carbon integrated handlebar, for Acros ICR system drop 125mm, reach 80mm Size: 90/380 (47-50 cm) ; 100/380 (53 cm) ; 110/400 (55-57 cm) ; 120/420 (59 cm)	BOTTOM BRACKET	Sram Press fit Road 86.5x41
HANDLEBAR	Included in the stem	CHAIN	Sram Force E1
GRIP / TAPE	Prologo PLAINTOUCH BLACK, 2.5mm thickness, full black	CASSETTE / FREEWHEEL	Sram Force XG 1270 E1, 10-36T, 10-11-12-13-15-17-19-21-24-28-32-36T
SADDLE	Prologo Nago R4 PAS, nack carbon rail, Nylon Injection, 156gr., 245x137	BRAKE LEVER	Included in the shifter
		BRAKE	Sram Force E1, Hydraulic disc brake
		FRONT DISK ROTOR	Sram Paceline, Center Lock, 160 mm
		REAR DISK ROTOR	Sram Paceline, Center Lock, 160 mm

SPECIALISSIMA PRO

FORCE AXS E1 PWM

YWB5S



COLORS	JB - Petroleum Celeste - Metallic Celeste [Glossy] JD - Carbon UD - Iridescent Blue [Glossy] JU - Carbon UD - White [Glossy]
FRAME	Bianchi Specialissima PRO carbon, only electronic groupsets, fully internal cable routing, Flat mount disc brake type, UDH compatible, BB-PressFit 86.5x41, Max crankset compatibility 58T sizes 47-50-53-55-57-59
SEATPOST CLAMP	Bianchi Custom
SEATPOST	Bianchi Specialissima seatpost Full Carbon Aero length: 280 mm, 0 offset (47 cm); 300 mm, 0 offset (50-53 cm); 350 mm , 20 mm offset (55-57-59 cm)
HEADSET	Acros IS52 Integrated Cable Routing
FORK	Bianchi Specialissima carbon, ICR 1.5" integrated head, Disc brake flat mount 140mm, thru axle 12x100 w/countervail
STEM	Bianchi Reparto Corse Carbon integrated handlebar, for Acros ICR system drop 125mm, reach 80mm Size: 90/380 (47-50 cm) ; 100/380 (53 cm) ; 110/400 (55-57 cm) ; 120/420 (59 cm)
HANDLEBAR	Included in the stem
GRIP / TAPE	Prologo PLAINTOUCH BLACK, 2.5mm thickness, full black
SADDLE	Prologo Nago R4 PAS, nack carbon rail, Nylon Injection, 156gr., 245x137

WHEELSET	Bianchi RC 49R 25-622, profile height 49mm, straight-pull, ratchet system, tubeless ready, XDR body
TIRE	Continental 30-622 Grand Prix 5000S TR black
SHIFTER	Sram Force AXS E1
REAR DERAILLEUR	Sram Force AXS E1, 12sp
FRONT DERAILLEUR	Sram Force AXS E1
CRANKSET	Sram Force E1, Quarq Power Meter, 48x35T Crank length: 165 mm (47-50 cm) ; 170 mm (53-55 cm) ; 172.5 mm (57-59 cm)
BOTTOM BRACKET	Sram Press fit Road 86.5x41
CHAIN	Sram Force E1
CASSETTE / FREEWHEEL	Sram Force XG 1270 E1, 10-36T, 10-11-12-13-15-17-19-21-24-28-32-36T
BRAKE LEVER	Included in the shifter
BRAKE	Sram Force E1, Hydraulic disc brake
FRONT DISK ROTOR	Sram Paceline, Center Lock, 160 mm
REAR DISK ROTOR	Sram Paceline, Center Lock, 160 mm

SPECIALISSIMA PRO

ULTEGRA DI2 4III PWM

YWB4S



COLORS	JB - Petroleum Celeste - Metallic Celeste [Glossy] JD - Carbon UD - Iridescent Blue [Glossy] JU - Carbon UD - White [Glossy]
FRAME	Bianchi Specialissima PRO carbon, only electronic groupsets, fully internal cable routing, Flat mount disc brake type, UDH compatible, BB-PressFit 86.5x41, Max crankset compatibility 58T sizes 47-50-53-55-57-59
SEATPOST CLAMP	Bianchi Custom
SEATPOST	Bianchi Specialissima seatpost Full Carbon Aero length: 280 mm, 0 offset (47 cm); 300 mm, 0 offset (50-53 cm); 350 mm , 20 mm offset (55-57-59 cm)
HEADSET	Acros IS52 Integrated Cable Routing
FORK	Bianchi Specialissima carbon, ICR 1.5" integrated head, Disc brake flat mount 140mm, thru axle 12x100 w/countervail
STEM	Bianchi Reparto Corse Carbon integrated handlebar, for Acros ICR system drop 125mm, reach 80mm Size: 90/380 (47-50 cm) ; 100/380 (53 cm) ; 110/400 (55-57 cm) ; 120/420 (59 cm)
HANDLEBAR	Included in the stem
GRIP / TAPE	Prologo PLAINTOUCH BLACK, 2.5mm thickness, full black
SADDLE	Prologo Nago R4 PAS, nack carbon rail, Nylon Injection, 156gr., 245x137

WHEELSET	Bianchi RC 49R 25-622, profile height 49mm, straight-pull, ratchet system, tubeless ready, HG11 body
TIRE	Continental 30-622 Grand Prix 5000S TR black
SHIFTER	Shimano Ultegra Di2, shifter lever ST-R8170, caliper BR-R8170
REAR DERAILLEUR	Shimano Ultegra Di2, RD-R8150, 12sp
FRONT DERAILLEUR	Shimano Ultegra Di2, FD-R8150
CRANKSET	Shimano Ultegra, FC-R8100, 4iii precision 3 single side power meter, 52x36T Crank length: 165 mm (47-50 cm) ; 170 mm (53-55 cm) ; 172.5 mm (57-59 cm)
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit type for road
CHAIN	Shimano CN-M8100
CASSETTE / FREEWHEEL	Shimano Ultegra, CS-R8101 11-34T, 11-12-13-14-15-17-19-21-24-27-30-34T
BRAKE LEVER	Included in the shifter
BRAKE	Shimano BR-R8170 Hydraulic disc brake
FRONT DISK ROTOR	Shimano RT-CL800 Center Lock with Ice Tech, 160 mm
REAR DISK ROTOR	Shimano RT-CL800 Center Lock with Ice Tech, 160 mm



SPECIALISSIMA PRO

ULTEGRA DI2 4III PWM

YWB4S



COLORS	JB - Petrolium Celeste - Metallic Celeste [Glossy] JD - Carbon UD - Iridescent Blue [Glossy] JU - Carbon UD - White [Glossy]
FRAME	Bianchi Specialissima PRO carbon, only electronic groupsets, fully internal cable routing, Flat mount disc brake type, UDH compatible, BB-PressFit 86.5x41, Max crankset compatibility 58T sizes 47-50-53-55-57-59
SEATPOST CLAMP	Bianchi Custom
SEATPOST	Bianchi Specialissima seatpost Full Carbon Aero length: 280 mm, 0 offset (47 cm); 300 mm, 0 offset (50-53 cm); 350 mm , 20 mm offset (55-57-59 cm)
HEADSET	Acros IS52 Integrated Cable Routing
FORK	Bianchi Specialissima carbon, ICR 1.5" integrated head, Disc brake flat mount 140mm, thru axle 12x100 w/countervail
STEM	Bianchi Reparto Corse Carbon integrated handlebar, for Acros ICR system drop 125mm, reach 80mm Size: 90/380 (47-50 cm) ; 100/380 (53 cm) ; 110/400 (55-57 cm) ; 120/420 (59 cm)
HANDLEBAR	Included in the stem
GRIP / TAPE	Prologo PLAINTOUCH BLACK, 2.5mm thickness, full black
SADDLE	Prologo Nago R4 PAS, nack carbon rail, Nylon Injection, 156gr., 245x137

WHEELSET	Bianchi RC 49R 25-622, profile height 49mm, straight-pull, ratchet system, tubeless ready, HG11 body
TIRE	Continental 30-622 Grand Prix 5000S TR black
SHIFTER	Shimano Ultegra Di2, shifter lever ST-R8170, caliper BR-R8170
REAR DERAILLEUR	Shimano Ultegra Di2, RD-R8150, 12sp
FRONT DERAILLEUR	Shimano Ultegra Di2, FD-R8150
CRANKSET	Shimano Ultegra, FC-R8100, 4iiii precision 3 single side power meter, 52x36T Crank length: 165 mm (47-50 cm) ; 170 mm (53-55 cm) ; 172.5 mm (57-59 cm)
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit type for road
CHAIN	Shimano CN-M8100
CASSETTE / FREEWHEEL	Shimano Ultegra, CS-R8101 11-34T, 11-12-13-14-15-17-19-21-24-27-30-34T
BRAKE LEVER	Included in the shifter
BRAKE	Shimano BR-R8170 Hydraulic disc brake
FRONT DISK ROTOR	Shimano RT-CL800 Center Lock with Ice Tech, 160 mm
REAR DISK ROTOR	Shimano RT-CL800 Center Lock with Ice Tech, 160 mm

SPECIALISSIMA PRO

ULTEGRA DI2 4III PWM

YWB4S



COLORS	JB - Petroleum Celeste - Metallic Celeste [Glossy] JD - Carbon UD - Iridescent Blue [Glossy] JU - Carbon UD - White [Glossy]
FRAME	Bianchi Specialissima PRO carbon, only electronic groupsets, fully internal cable routing, Flat mount disc brake type, UDH compatible, BB-PressFit 86.5x41, Max crankset compatibility 58T sizes 47-50-53-55-57-59
SEATPOST CLAMP	Bianchi Custom
SEATPOST	Bianchi Specialissima seatpost Full Carbon Aero length: 280 mm, 0 offset (47 cm); 300 mm, 0 offset (50-53 cm); 350 mm , 20 mm offset (55-57-59 cm)
HEADSET	Acros IS52 Integrated Cable Routing
FORK	Bianchi Specialissima carbon, ICR 1.5" integrated head, Disc brake flat mount 140mm, thru axle 12x100 w/countervail
STEM	Bianchi Reparto Corse Carbon integrated handlebar, for Acros ICR system drop 125mm, reach 80mm Size: 90/380 (47-50 cm) ; 100/380 (53 cm) ; 110/400 (55-57 cm) ; 120/420 (59 cm)
HANDLEBAR	Included in the stem
GRIP / TAPE	Prologo PLAINTOUCH BLACK, 2.5mm thickness, full black
SADDLE	Prologo Nago R4 PAS, nack carbon rail, Nylon Injection, 156gr., 245x137

WHEELSET	Bianchi RC 49R 25-622, profile height 49mm, straight-pull, ratchet system, tubeless ready, HG11 body
TIRE	Continental 30-622 Grand Prix 5000S TR black
SHIFTER	Shimano Ultegra Di2, shifter lever ST-R8170, caliper BR-R8170
REAR DERAILLEUR	Shimano Ultegra Di2, RD-R8150, 12sp
FRONT DERAILLEUR	Shimano Ultegra Di2, FD-R8150
CRANKSET	Shimano Ultegra, FC-R8100, 4iiii precision 3 single side power meter, 52x36T Crank length: 165 mm (47-50 cm) ; 170 mm (53-55 cm) ; 172.5 mm (57-59 cm)
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit type for road
CHAIN	Shimano CN-M8100
CASSETTE / FREEWHEEL	Shimano Ultegra, CS-R8101 11-34T, 11-12-13-14-15-17-19-21-24-27-30-34T
BRAKE LEVER	Included in the shifter
BRAKE	Shimano BR-R8170 Hydraulic disc brake
FRONT DISK ROTOR	Shimano RT-CL800 Center Lock with Ice Tech, 160 mm
REAR DISK ROTOR	Shimano RT-CL800 Center Lock with Ice Tech, 160 mm

SPECIALISSIMA

ULTEGRA DI2

YWB6S



COLORS	JE - Celeste Metallic - CK16 [Full Glossy] JF - Black - Black [Glossy] JS - Frozen White - Bronze [Full Glossy]
FRAME	Bianchi Specialissima PRO carbon, only electronic groupsets, fully internal cable routing, Flat mount disc brake type, UDH compatible, BB-PressFit 86.5x41, Max crankset compatibility 58T sizes 47-50-53-55-57-59
SEATPOST CLAMP	Bianchi Custom
SEATPOST	Bianchi Specialissima seatpost Full Carbon Aero length: 280 mm, 0 offset (47 cm); 300 mm, 0 offset (50-53 cm); 350 mm , 20 mm offset (55-57-59 cm)
HEADSET	Acros IS52 Integrated Cable Routing
FORK	Bianchi Specialissima carbon, ICR 1.5" integrated head, Disc brake flat mount 140mm, thru axle 12x100 w/countervail
STEM	Bianchi Reparto Corse Carbon integrated handlebar, for Acros ICR system drop 125mm, reach 80mm Size: 90/380 (47-50 cm) ; 100/380 (53 cm) ; 110/400 (55-57 cm) ; 120/420 (59 cm)
HANDLEBAR	Included in the stem
GRIP / TAPE	Prologo PLAINTOUCH BLACK, 2.5mm thickness, full black
SADDLE	Prologo Nago R4 PAS, steel rail, Nylon Injection, 265gr., 245x137

WHEELSET	Bianchi B 49R 25-622, profile height 49mm, straight-pull, ratchet system, tubeless ready, HG11 body
TIRE	Continental 30-622 Grand Prix TR black
SHIFTER	Shimano Ultegra Di2, shifter lever ST-R8170, caliper BR-R8170
REAR DERAILLEUR	Shimano Ultegra Di2, RD-R8150, 12sp
FRONT DERAILLEUR	Shimano Ultegra Di2, FD-R8150
CRANKSET	Shimano Ultegra, FC-R8100, 50x34T Crank length: 165 mm (47-50 cm) ; 170 mm (53-55 cm) ; 172.5 mm (57-59 cm)
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit type for road
CHAIN	Shimano CN-M7100, for HG 12- speed
CASSETTE / FREEWHEEL	Shimano 105, CS-R7100 11-34T, 11-12-13-14-15-17-19-21-24-27-30-34T
BRAKE LEVER	Included in the shifter
BRAKE	Shimano BR-R8170 Hydraulic disc brake
FRONT DISK ROTOR	Shimano RT-CL700 Center Lock, 160 mm
REAR DISK ROTOR	Shimano RT-CL700 Center Lock, 160 mm

SPECIALISSIMA

ULTEGRA DI2

YWB6S



COLORS	JE - Celeste Metallic - CK16 [Full Glossy] JF - Black - Black [Glossy] JS - Frozen White - Bronze [Full Glossy]
FRAME	Bianchi Specialissima PRO carbon, only electronic groupsets, fully internal cable routing, Flat mount disc brake type, UDH compatible, BB-PressFit 86.5x41, Max crankset compatibility 58T sizes 47-50-53-55-57-59
SEATPOST CLAMP	Bianchi Custom
SEATPOST	Bianchi Specialissima seatpost Full Carbon Aero length: 280 mm, 0 offset (47 cm); 300 mm, 0 offset (50-53 cm); 350 mm , 20 mm offset (55-57-59 cm)
HEADSET	Acros IS52 Integrated Cable Routing
FORK	Bianchi Specialissima carbon, ICR 1.5" integrated head, Disc brake flat mount 140mm, thru axle 12x100 w/countervail
STEM	Bianchi Reparto Corse Carbon integrated handlebar, for Acros ICR system drop 125mm, reach 80mm Size: 90/380 (47-50 cm) ; 100/380 (53 cm) ; 110/400 (55-57 cm) ; 120/420 (59 cm)
HANDLEBAR	Included in the stem
GRIP / TAPE	Prologo PLAINTOUCH BLACK, 2.5mm thickness, full black
SADDLE	Prologo Nago R4 PAS, steel rail, Nylon Injection, 265gr., 245x137

WHEELSET	Bianchi B 49R 25-622, profile height 49mm, straight-pull, ratchet system, tubeless ready, HG11 body
TIRE	Continental 30-622 Grand Prix TR black
SHIFTER	Shimano Ultegra Di2, shifter lever ST-R8170, caliper BR-R8170
REAR DERAILLEUR	Shimano Ultegra Di2, RD-R8150, 12sp
FRONT DERAILLEUR	Shimano Ultegra Di2, FD-R8150
CRANKSET	Shimano Ultegra, FC-R8100, 50x34T Crank length: 165 mm (47-50 cm) ; 170 mm (53-55 cm) ; 172.5 mm (57-59 cm)
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit type for road
CHAIN	Shimano CN-M7100, for HG 12- speed
CASSETTE / FREEWHEEL	Shimano 105, CS-R7100 11-34T, 11-12-13-14-15-17-19-21-24-27-30-34T
BRAKE LEVER	Included in the shifter
BRAKE	Shimano BR-R8170 Hydraulic disc brake
FRONT DISK ROTOR	Shimano RT-CL700 Center Lock, 160 mm
REAR DISK ROTOR	Shimano RT-CL700 Center Lock, 160 mm

SPECIALISSIMA

ULTEGRA DI2

YWB6S



COLORS	JE - Celeste Metallic - CK16 [Full Glossy] JF - Black - Black [Glossy] JS - Frozen White - Bronze [Full Glossy]
FRAME	Bianchi Specialissima PRO carbon, only electronic groupsets, fully internal cable routing, Flat mount disc brake type, UDH compatible, BB-PressFit 86.5x41, Max crankset compatibility 58T sizes 47-50-53-55-57-59
SEATPOST CLAMP	Bianchi Custom
SEATPOST	Bianchi Specialissima seatpost Full Carbon Aero length: 280 mm, 0 offset (47 cm); 300 mm, 0 offset (50-53 cm); 350 mm , 20 mm offset (55-57-59 cm)
HEADSET	Acros IS52 Integrated Cable Routing
FORK	Bianchi Specialissima carbon, ICR 1.5" integrated head, Disc brake flat mount 140mm, thru axle 12x100 w/countervail
STEM	Bianchi Reparto Corse Carbon integrated handlebar, for Acros ICR system drop 125mm, reach 80mm Size: 90/380 (47-50 cm) ; 100/380 (53 cm) ; 110/400 (55-57 cm) ; 120/420 (59 cm)
HANDLEBAR	Included in the stem
GRIP / TAPE	Prologo PLAINTOUCH BLACK, 2.5mm thickness, full black
SADDLE	Prologo Nago R4 PAS, steel rail, Nylon Injection, 265gr., 245x137

WHEELSET	Bianchi B 49R 25-622, profile height 49mm, straight-pull, ratchet system, tubeless ready, HG11 body
TIRE	Continental 30-622 Grand Prix TR black
SHIFTER	Shimano Ultegra Di2, shifter lever ST-R8170, caliper BR-R8170
REAR DERAILLEUR	Shimano Ultegra Di2, RD-R8150, 12sp
FRONT DERAILLEUR	Shimano Ultegra Di2, FD-R8150
CRANKSET	Shimano Ultegra, FC-R8100, 50x34T Crank length: 165 mm (47-50 cm) ; 170 mm (53-55 cm) ; 172.5 mm (57-59 cm)
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit type for road
CHAIN	Shimano CN-M7100, for HG 12- speed
CASSETTE / FREEWHEEL	Shimano 105, CS-R7100 11-34T, 11-12-13-14-15-17-19-21-24-27-30-34T
BRAKE LEVER	Included in the shifter
BRAKE	Shimano BR-R8170 Hydraulic disc brake
FRONT DISK ROTOR	Shimano RT-CL700 Center Lock, 160 mm
REAR DISK ROTOR	Shimano RT-CL700 Center Lock, 160 mm

SPECIALISSIMA

RIVAL AXS E1

YWB8S



COLORS	JE - Celeste Metallic - CK16 [Full Glossy] JF - Black - Black [Glossy] JS - Frozen White - Bronze [Full Glossy]
FRAME	Bianchi Specialissima PRO carbon, only electronic groupsets, fully internal cable routing, Flat mount disc brake type, UDH compatible, BB-PressFit 86.5x41, Max crankset compatibility 58T sizes 47-50-53-55-57-59
SEATPOST CLAMP	Bianchi Custom
SEATPOST	Bianchi Specialissima seatpost Full Carbon Aero length: 280 mm, 0 offset (47 cm); 300 mm, 0 offset (50-53 cm); 350 mm , 20 mm offset (55-57-59 cm)
HEADSET	Acros IS52 Integrated Cable Routing
FORK	Bianchi Specialissima carbon, ICR 1.5" integrated head, Disc brake flat mount 140mm, thru axle 12x100 w/countervail
STEM	Bianchi Reparto Corse Carbon integrated handlebar, for Acros ICR system drop 125mm, reach 80mm Size: 90/380 (47-50 cm) ; 100/380 (53 cm) ; 110/400 (55-57 cm) ; 120/420 (59 cm)
HANDLEBAR	Included in the stem
GRIP / TAPE	Prologo PLAINTOUCH BLACK, 2.5mm thickness, full black
SADDLE	Prologo Nago R4 PAS, steel rail, Nylon Injection, 265gr., 245x137

WHEELSET	Bianchi B 49R 25-622, profile height 49mm, straight-pull, ratchet system, tubeless ready, XDR body
TIRE	Continental 30-622 Grand Prix TR black
SHIFTER	Sram Rival AXS E1
REAR DERAILLEUR	Sram Rival AXS E1, 12sp
FRONT DERAILLEUR	Sram Rival AXS E1
CRANKSET	Sram Rival E1, 46x33T Crank length: 165 mm (47-50 cm) ; 170 mm (53-55 cm) ; 172.5 mm (57-59 cm)
BOTTOM BRACKET	Sram Press fit Road 86.5x41
CHAIN	Sram Rival E1
CASSETTE / FREEWHEEL	Sram Rival XG 1250 D1, 10-36, 10-11-12-13-15-17-19-21-24-28-32-36T
BRAKE LEVER	Included in the shifter
BRAKE	Sram Rival E1, Hydraulic disc brake
FRONT DISK ROTOR	Sram Paceline, Center Lock, 160 mm
REAR DISK ROTOR	Sram Paceline, Center Lock, 160 mm

SPECIALISSIMA

RIVAL AXS E1

YWB8S



COLORS	JE - Celeste Metallic - CK16 [Full Glossy] JF - Black - Black [Glossy] JS - Frozen White - Bronze [Full Glossy]
FRAME	Bianchi Specialissima PRO carbon, only electronic groupsets, fully internal cable routing, Flat mount disc brake type, UDH compatible, BB-PressFit 86.5x41, Max crankset compatibility 58T sizes 47-50-53-55-57-59
SEATPOST CLAMP	Bianchi Custom
SEATPOST	Bianchi Specialissima seatpost Full Carbon Aero length: 280 mm, 0 offset (47 cm); 300 mm, 0 offset (50-53 cm); 350 mm , 20 mm offset (55-57-59 cm)
HEADSET	Acros IS52 Integrated Cable Routing
FORK	Bianchi Specialissima carbon, ICR 1.5" integrated head, Disc brake flat mount 140mm, thru axle 12x100 w/countervail
STEM	Bianchi Reparto Corse Carbon integrated handlebar, for Acros ICR system drop 125mm, reach 80mm Size: 90/380 (47-50 cm) ; 100/380 (53 cm) ; 110/400 (55-57 cm) ; 120/420 (59 cm)
HANDLEBAR	Included in the stem
GRIP / TAPE	Prologo PLAINTOUCH BLACK, 2.5mm thickness, full black
SADDLE	Prologo Nago R4 PAS, steel rail, Nylon Injection, 265gr., 245x137

WHEELSET	Bianchi B 49R 25-622, profile height 49mm, straight-pull, ratchet system, tubeless ready, XDR body
TIRE	Continental 30-622 Grand Prix TR black
SHIFTER	Sram Rival AXS E1
REAR DERAILLEUR	Sram Rival AXS E1, 12sp
FRONT DERAILLEUR	Sram Rival AXS E1
CRANKSET	Sram Rival E1, 46x33T Crank length: 165 mm (47-50 cm) ; 170 mm (53-55 cm) ; 172.5 mm (57-59 cm)
BOTTOM BRACKET	Sram Press fit Road 86.5x41
CHAIN	Sram Rival E1
CASSETTE / FREEWHEEL	Sram Rival XG 1250 D1, 10-36, 10-11-12-13-15-17-19-21-24-28-32-36T
BRAKE LEVER	Included in the shifter
BRAKE	Sram Rival E1, Hydraulic disc brake
FRONT DISK ROTOR	Sram Paceline, Center Lock, 160 mm
REAR DISK ROTOR	Sram Paceline, Center Lock, 160 mm

SPECIALISSIMA

RIVAL AXS E1

YWB8S



COLORS	JE - Celeste Metallic - CK16 [Full Glossy] JF - Black - Black [Glossy] JS - Frozen White - Bronze [Full Glossy]
FRAME	Bianchi Specialissima PRO carbon, only electronic groupsets, fully internal cable routing, Flat mount disc brake type, UDH compatible, BB-PressFit 86.5x41, Max crankset compatibility 58T sizes 47-50-53-55-57-59
SEATPOST CLAMP	Bianchi Custom
SEATPOST	Bianchi Specialissima seatpost Full Carbon Aero length: 280 mm, 0 offset (47 cm); 300 mm, 0 offset (50-53 cm); 350 mm , 20 mm offset (55-57-59 cm)
HEADSET	Acros IS52 Integrated Cable Routing
FORK	Bianchi Specialissima carbon, ICR 1.5" integrated head, Disc brake flat mount 140mm, thru axle 12x100 w/countervail
STEM	Bianchi Reparto Corse Carbon integrated handlebar, for Acros ICR system drop 125mm, reach 80mm Size: 90/380 (47-50 cm) ; 100/380 (53 cm) ; 110/400 (55-57 cm) ; 120/420 (59 cm)
HANDLEBAR	Included in the stem
GRIP / TAPE	Prologo PLAINTOUCH BLACK, 2.5mm thickness, full black
SADDLE	Prologo Nago R4 PAS, steel rail, Nylon Injection, 265gr., 245x137

WHEELSET	Bianchi B 49R 25-622, profile height 49mm, straight-pull, ratchet system, tubeless ready, XDR body
TIRE	Continental 30-622 Grand Prix TR black
SHIFTER	Sram Rival AXS E1
REAR DERAILLEUR	Sram Rival AXS E1, 12sp
FRONT DERAILLEUR	Sram Rival AXS E1
CRANKSET	Sram Rival E1, 46x33T Crank length: 165 mm (47-50 cm) ; 170 mm (53-55 cm) ; 172.5 mm (57-59 cm)
BOTTOM BRACKET	Sram Press fit Road 86.5x41
CHAIN	Sram Rival E1
CASSETTE / FREEWHEEL	Sram Rival XG 1250 D1, 10-36, 10-11-12-13-15-17-19-21-24-28-32-36T
BRAKE LEVER	Included in the shifter
BRAKE	Sram Rival E1, Hydraulic disc brake
FRONT DISK ROTOR	Sram Paceline, Center Lock, 160 mm
REAR DISK ROTOR	Sram Paceline, Center Lock, 160 mm

SPECIALISSIMA

105 DI2

YWB7S



COLORS	JE - Celeste Metallic - CK16 [Full Glossy] JF - Black - Black [Glossy] JS - Frozen White - Bronze [Full Glossy]	WHEELSET	Bianchi B 49R 25-622, profile height 49mm, straight-pull, ratchet system, tubeless ready, HG11 body
FRAME	Bianchi Specialissima PRO carbon, only electronic groupsets, fully internal cable routing, Flat mount disc brake type, UDH compatible, BB-PressFit 86.5x41, Max crankset compatibility 58T sizes 47-50-53-55-57-59	TIRE	Continental 30-622 Grand Prix TR black
SEATPOST CLAMP	Bianchi Custom	SHIFTER	Shimano 105 Di2, shifter lever ST-R7170, caliper BR-R7170
SEATPOST	Bianchi Specialissima seatpost Full Carbon Aero length: 280 mm, 0 offset (47 cm); 300 mm, 0 offset (50-53 cm); 350 mm , 20 mm offset (55-57-59 cm)	REAR DERAILLEUR	Shimano 105 Di2, RD-R7150, 12sp
HEADSET	Acros IS52 Integrated Cable Routing	FRONT DERAILLEUR	Shimano 105 Di2, FD-R7150
FORK	Bianchi Specialissima carbon, ICR 1.5" integrated head, Disc brake flat mount 140mm, thru axle 12x100 w/countervail	CRANKSET	Shimano 105, FC-R7100, Hollowtech 2, 50x34T Crank length: 165 mm (47-50 cm) ; 170 mm (53-55 cm) ; 172.5 mm (57-59 cm)
STEM	Bianchi Reparto Corse Carbon integrated handlebar, for Acros ICR system drop 125mm, reach 80mm Size: 90/380 (47-50 cm) ; 100/380 (53 cm) ; 110/400 (55-57 cm) ; 120/420 (59 cm)	BOTTOM BRACKET	Shimano SM-BB72-41B, press fit type for road
HANDLEBAR	Included in the stem	CHAIN	Shimano CN-M7100, for HG 12- speed
GRIP / TAPE	Prologo PLAINTOUCH BLACK, 2.5mm thickness, full black	CASSETTE / FREEWHEEL	Shimano 105, CS-R7101 11-36T, 11-12-13-14-15-17-19-21-24-28-32-36T
SADDLE	Prologo Nago R4 PAS, steel rail, Nylon Injection, 265gr., 245x137	BRAKE LEVER	Included in the shifter
		BRAKE	Shimano BR-R7170 Hydraulic disc brake
		FRONT DISK ROTOR	Shimano RT-CL700 Center Lock, 160 mm
		REAR DISK ROTOR	Shimano RT-CL700 Center Lock, 160 mm

SPECIALISSIMA

105 DI2

YWB7S



COLORS	JE - Celeste Metallic - CK16 [Full Glossy] JF - Black - Black [Glossy] JS - Frozen White - Bronze [Full Glossy]
FRAME	Bianchi Specialissima PRO carbon, only electronic groupsets, fully internal cable routing, Flat mount disc brake type, UDH compatible, BB-PressFit 86.5x41, Max crankset compatibility 58T sizes 47-50-53-55-57-59
SEATPOST CLAMP	Bianchi Custom
SEATPOST	Bianchi Specialissima seatpost Full Carbon Aero length: 280 mm, 0 offset (47 cm); 300 mm, 0 offset (50-53 cm); 350 mm , 20 mm offset (55-57-59 cm)
HEADSET	Acros IS52 Integrated Cable Routing
FORK	Bianchi Specialissima carbon, ICR 1.5" integrated head, Disc brake flat mount 140mm, thru axle 12x100 w/countervail
STEM	Bianchi Reparto Corse Carbon integrated handlebar, for Acros ICR system drop 125mm, reach 80mm Size: 90/380 (47-50 cm) ; 100/380 (53 cm) ; 110/400 (55-57 cm) ; 120/420 (59 cm)
HANDLEBAR	Included in the stem
GRIP / TAPE	Prologo PLAINTOUCH BLACK, 2.5mm thickness, full black
SADDLE	Prologo Nago R4 PAS, steel rail, Nylon Injection, 265gr., 245x137

WHEELSET	Bianchi B 49R 25-622, profile height 49mm, straight-pull, ratchet system, tubeless ready, HG11 body
TIRE	Continental 30-622 Grand Prix TR black
SHIFTER	Shimano 105 Di2, shifter lever ST-R7170, caliper BR-R7170
REAR DERAILLEUR	Shimano 105 Di2, RD-R7150, 12sp
FRONT DERAILLEUR	Shimano 105 Di2, FD-R7150
CRANKSET	Shimano 105, FC-R7100, Hollowtech 2, 50x34T Crank length: 165 mm (47-50 cm) ; 170 mm (53-55 cm) ; 172.5 mm (57-59 cm)
BOTTOM BRACKET	Shimano SM-BB72-41B, press fit type for road
CHAIN	Shimano CN-M7100, for HG 12- speed
CASSETTE / FREEWHEEL	Shimano 105, CS-R7101 11-36T, 11-12-13-14-15-17-19-21-24-28-32-36T
BRAKE LEVER	Included in the shifter
BRAKE	Shimano BR-R7170 Hydraulic disc brake
FRONT DISK ROTOR	Shimano RT-CL700 Center Lock, 160 mm
REAR DISK ROTOR	Shimano RT-CL700 Center Lock, 160 mm

SPECIALISSIMA

105 DI2

YWB7S



COLORS	JE - Celeste Metallic - CK16 [Full Glossy] JF - Black - Black [Glossy] JS - Frozen White - Bronze [Full Glossy]
--------	---

FRAME	Bianchi Specialissima PRO carbon, only electronic groupsets, fully internal cable routing, Flat mount disc brake type, UDH compatible, BB-PressFit 86.5x41, Max crankset compatibility 58T sizes 47-50-53-55-57-59
-------	--

SEATPOST CLAMP	Bianchi Custom
----------------	----------------

SEATPOST	Bianchi Specialissima seatpost Full Carbon Aero length: 280 mm, 0 offset (47 cm); 300 mm, 0 offset (50-53 cm); 350 mm , 20 mm offset (55-57-59 cm)
----------	--

HEADSET	Acros IS52 Integrated Cable Routing
---------	-------------------------------------

FORK	Bianchi Specialissima carbon, ICR 1.5" integrated head, Disc brake flat mount 140mm, thru axle 12x100 w/countervail
------	---

STEM	Bianchi Reparto Corse Carbon integrated handlebar, for Acros ICR system drop 125mm, reach 80mm Size: 90/380 (47-50 cm) ; 100/380 (53 cm) ; 110/400 (55-57 cm) ; 120/420 (59 cm)
------	---

HANDLEBAR	Included in the stem
-----------	----------------------

GRIP / TAPE	Prologo PLAINTOUCH BLACK, 2.5mm thickness, full black
-------------	---

SADDLE	Prologo Nago R4 PAS, steel rail, Nylon Injection, 265gr., 245x137
--------	---

WHEELSET	Bianchi B 49R 25-622, profile height 49mm, straight-pull, ratchet system, tubeless ready, HG11 body
----------	---

TIRE	Continental 30-622 Grand Prix TR black
------	--

SHIFTER	Shimano 105 Di2, shifter lever ST-R7170, caliper BR-R7170
---------	---

REAR DERAILLEUR	Shimano 105 Di2, RD-R7150, 12sp
-----------------	---------------------------------

FRONT DERAILLEUR	Shimano 105 Di2, FD-R7150
------------------	---------------------------

CRANKSET	Shimano 105, FC-R7100, Hollowtech 2, 50x34T Crank length: 165 mm (47-50 cm) ; 170 mm (53-55 cm) ; 172.5 mm (57-59 cm)
----------	---

BOTTOM BRACKET	Shimano SM-BB72-41B, press fit type for road
----------------	--

CHAIN	Shimano CN-M7100, for HG 12- speed
-------	------------------------------------

CASSETTE / FREEWHEEL	Shimano 105, CS-R7101 11-36T, 11-12-13-14-15-17-19-21-24-28-32-36T
----------------------	--

BRAKE LEVER	Included in the shifter
-------------	-------------------------

BRAKE	Shimano BR-R7170 Hydraulic disc brake
-------	---------------------------------------

FRONT DISK ROTOR	Shimano RT-CL700 Center Lock, 160 mm
------------------	--------------------------------------

REAR DISK ROTOR	Shimano RT-CL700 Center Lock, 160 mm
-----------------	--------------------------------------

Bianchi